

"Express Mail" mailing label number
EJ814971152US

Date of Deposit Oct. 24, 2000
I hereby certify that this paper/fee is being deposited
with the United States Postal Service "Express Mail
Post Office to Addressee" service under 37 CFR 1.10
on the date indicated above and is addressed to the
Commissioner of Patent and Trademarks, Washington,
D.C. 20231.

DONITA KONRAD

Name

Donita Konrad
Signature

10922 U.S. PTO
09/695155
10/24/00

Case 8284

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In the Application of :

Michael Douglas Hill et al. :

Serial No.: To Be Assigned :

Filed: October 24, 2000 :

Group Art Unit:

Examiner:

For: Mask For Differential Curing And Process For Making Same

TRANSMITTAL OF FORMAL DRAWINGS AND
PETITION TO ACCEPT PHOTOMICROGRAPHS PURSUANT TO 37 CFR 1.84(b)

The Patent and Trademark Office

Official Draftsperson

Washington, D.C. 20231

Dear Sir:

Enclosed herewith are the formal drawings (3 copies of 27 sheets) for the above-identified patent application. These formal drawings include (3) sets of photomicrographs representing Figures 32-41 and 45-46. Applicants hereby petition under 37 CFR 1.84(b) that these photomicrographs be accepted as formal drawings, as this aspect of the invention is incapable of being accurately or adequately depicted by India ink drawings.

Please charge payment of the \$130.00 petition fee under 37 CFR 1.17(h) to Deposit Account No. 16-2480. Please also charge any additional fees that may be required to this deposit account number. A duplicate copy of this letter has been included herewith for this purpose.

Respectfully submitted,

For: Michael Douglas Hill et al.

By

V. Vitenberg
Vladimir Vitenberg
Attorney for Applicant(s)

Registration No. 42,204

Tele. No.: (513) 634-2648

October 24, 2000
Cincinnati, Ohio




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6

4/27




Fig. 7




Fig. 8




Fig. 9




Fig. 10




Fig. 10A




Fig. 11




Fig. 12




Fig. 12A




Fig. 13




Fig. 14

8/27




Fig. 15




Fig. 16

9/27




Fig. 17




Fig. 18




Fig. 19

11/27




Fig. 20




Fig. 21

12/27




Fig. 22A




Fig. 22B




Fig. 22C




Fig. 23




Fig. 24




Fig. 25




Fig. 25A




Fig. 26




Fig. 27




Fig. 28




Fig. 29




Fig. 30




Fig. 31

17/27




Fig. 32




Fig. 33




Fig. 34

18/27




Fig. 35




Fig. 36




Fig. 37

19/27




Fig. 38




Fig. 39




Fig. 40




Fig. 41




Fig. 42




Fig. 43




Fig. 44

22/27



Fig. 45
PRIOR ART




Fig. 46
PRIOR ART

23/27




Fig. 47 PRIOR ART




Fig. 48




Fig. 49




Fig. 50




Fig. 51




Fig. 52




Fig. 52A




Fig. 53




Fig. 54